European Journal of Pharmacology, 250 (1993) 499–503
© 1993 Elsevier Science Publishers B.V. All rights reserved 0014-2999/93/$06.00

Author index

Adams, G.D., see Haynes, J.M. (250) 231
Advenier, C., Girard, V., Naline, E., Vilain, P. and Emonds-Alt, X.
Antitussive effect of SR 48968, a non-peptide tachykinin NK_2 receptor antagonist (250) 169
Advenier, C., see Iriarte, M.-C.F. (250) 295
Akkermans, L.M.A., see Briejer, M.R. (250) 181
Aldasoro, M., Martínez, C., Vila, J.M., Flor, B. and Lluch, S.
Endothelium-dependent component in the contractile responses of human omental arteries to adrenergic stimulation (250) 103
Allcock, G.H., see Warner, T.D. (250) 447
Almegård, B. and Bill, A.
C-terminal calcitonin gene-related peptide fragments and vasopressin but not somatostatin-28 induce miosis in monkeys (250) 31
Andrews, A.M. and Murphy, D.L.
Fluoxetine and desipramine selectively attenuate 2′-NH_2-MPTP-induced depletions in serotonin and norepinephrine (250) 215
Anthony, E.W. and Nevins, M.E.
Anxiolytic-like effects of *N*-methyl-D-aspartate-associated glycine receptor ligands in the rat potentiated startle test (250) 317
Arilla, E., see Iriarte, M.-C.F. (250) 295
Aslan, A.N., see Özkutlu, U. (250) 349

Balwierczak, J.L., Wong, M. and Jeng, A.Y.
A simple assay for the measurement of conversion of big endothelin-1 to endothelin-1 by smooth muscle (250) 379
Banba, N., see Takekoshi, K. (250) 465
Barajas-López, C., Barrientos, M. and Espinosa-Luna, R.
Suramin increases the efficacy of ATP to activate an inward current in myenteric neurons from guinea-pig ileum (250) 141
Barnes, J.C., Brown, J.D., Clarke, N.P., Clapham, J., Evans, D.J. and O'Shaughnessy, C.T.
Pharmacological activity of VUF 9153, an isothiourea histamine H_3 receptor antagonist (250) 147
Barrientos, M., see Barajas-López, C. (250) 141
Baschirotto, A., see Ceci, A. (250) 461
Battistini, B., see Warner, T.D. (250) 447
Ben-Ari, Y., see Dessi, F. (250) 325
Beresford, I.J.M., see Stratton, S.C. (250) R11
Berrino, L., see Maione, S. (250) 209
Bichon, D., see Emonds-Alt, X. (250) 403
Biessels, G.J., see Kappelle, A.C. (250) 43
Biftu, T., see Qian, C. (250) R13
Bill, A., see Almegård, B. (250) 31
Boddeke, H.W.G.M., see Doods, H.N. (250) 223
Borsini, F., see Ceci, A. (250) 461
Bowery, N.G., see Malcangio, M. (250) 153
Brailoiu, E., Serban, D.N., Popescu, L.M., Slatineanu, S., Filipeanu, C.M. and Branisteanu, D.D.
Effects of liposome-entrapped D-*myo*-inositol 1,4,5-trisphosphate and D-*myo*-inositol 1,3,4,5-tetrakisphosphate in the isolated rat aorta (250) 493
Brailoiu, E., Serban, D.N., Slatineanu, S., Filipeanu, C.M., Petrescu, B.C. and Branisteanu, D.D.
Effects of liposome-entrapped adenosine in the isolated rat aorta (250) 489
Branisteanu, D.D., see Brailoiu, E. (250) 489
Branisteanu, D.D., see Brailoiu, E. (250) 493
Brelière, J.-C., see Emonds-Alt, X. (250) 403
Briejer, M.R., Akkermans, L.M.A., Meulemans, A.L., Lefebvre, R.A. and Schuurkes, J.A.J.
Substance P-induced contractions of the guinea-pig proximal colon through stimulation of post-junctional tachykinin NK_1 receptors (250) 181
Brown, J.D., see Barnes, J.C. (250) 147
Buccafusco, J.J., see Feldman, D.S. (250) 483
Burgin, R., see Weizman, R. (250) 289
Bussjaeger, L.J., see Varga, G. (250) 37

Campbell, D.R., see Varga, G. (250) 37
Carruthers, A.M. and Fozard, J.R.
Effect of pertussis toxin treatment on the putative adenosine A_3 receptor-mediated hypotensive response in the rat (250) 185
Ceci, A., Baschirotto, A. and Borsini, F.
Effect of fluoxetine on the spontaneous electrical activity of fronto-cortical neurons (250) 461
Chaki, S., Tanaka, M., Muramatsu, M. and Otomo, S.
Discrimination of (+)-3-PPP sites from DTG sites by FH-510, a novel potent σ ligand, in rat brain (250) 173
Chaouche-Teyara, K., Fournier, B., Safar, M. and Dabiré, H.
Vascular and cardiac effects of α-methyl-5-HT and DOI are mediated by different 5-HT receptors in the pithed rat (250) 67
Charriaut-Marlangue, C., see Dessi, F. (250) 325
Chen, C., see Gopalakrishnan, S.M. (250) 469
Chiba, S., see Sawaki, S. (250) 253
Chien, C.C. and Pasternak, G.W.
Functional antagonism of morphine analgesia by (+)-pentazocine: evidence for an anti-opioid σ_1 system (250) R7
Chulia, T., see Del Rio, M. (250) 133
Clapham, J., see Barnes, J.C. (250) 147
Clarke, N.P., see Barnes, J.C. (250) 147
Cortijo, J., see Iriarte, M.-C.F. (250) 295
Couch, R.C., see Komoriya, K. (250) 455
Crankshaw, D., see Jang, E.K. (250) 477
Czechowska, G., see Pietrasiewicz, T. (250) 1
Czuczwar, S.J., see Pietrasiewicz, T. (250) 1
Czyżewska-Szafran, H., see Remiszewska, M. (250) 355

Dabiré, H., see Chaouche-Teyara, K. (250) 67
D'Amico, M., see Maione, S. (250) 209
Da Silva, H., see Malcangio, M. (250) 153
Davidson, M.M.L., see Jang, E.K. (250) 477
Del Rio, M., Chulia, T., Gonzalez, P. and Tejerina, T.
Effects of indapamide on contractile responses and $^{45}Ca^{2+}$ movements in various isolated blood vessels (250) 133
Dessi, F., Ben-Ari, Y. and Charriaut-Marlangue, C.
Riluzole prevents anoxic injury in cultured cerebellar granule neurons (250) 325
De Wildt, D.J., see Kappelle, A.C. (250) 43
De Wildt, D.J., see Vleeming, W. (250) 415
Díaz-Juárez, J.L., see Iriarte, M.-C.F. (250) 295

Doods, H.N., Willim, K.D., Boddeke, H.W.G.M. and Entzeroth, M.
Characterization of muscarinic receptors in guinea-pig uterus (250) 223
Doutremepuich, J.-D., see Emonds-Alt, X. (250) 403
Drew, G.M., see Trezise, D.J. (250) 109
Ducoux, J.-P., see Emonds-Alt, X. (250) 403
Dziki, M., see Pietrasiewicz, T. (250) 1

Eckman, J., see Qian, C. (250) R13
Elkins, K.W., Gibb, J.W., Hanson, G.R., Wilkins, D.G. and Johnson, M.
Effects of nimodipine on the amphetamine- and methamphetamine-induced decrease in tryptophan hydroxylase activity (250) 395
Elzinga, C.R.S., see Roffel, A.F. (250) 267
Emonds-Alt, X., Doutremepuich, J.-D., Heaulme, M., Neliat, G., Santucci, V., Steinberg, R., Vilain, P., Bichon, D., Ducoux, J.-P., Proietto, V., Van Broeck, D., Soubrié, P., Le Fur, G. and Brelière, J.-C.
In vitro and in vivo biological activities of SR140333, a novel potent non-peptide tachykinin NK_1 receptor antagonist (250) 403
Emonds-Alt, X., see Advenier, C. (250) 169
Endoh, M., see Kohi, M. (250) 95
Entzeroth, M., see Doods, H.N. (250) 223
Erkelens, D.W., see Kappelle, A.C. (250) 43
Espinosa-Luna, R., see Barajas-López, C. (250) 141
Evans, D.J., see Barnes, J.C. (250) 147

Feldman, D.S. and Buccafusco, J.J.
Localization of cholinergic neurons involved in the cardiovascular response to intrathecal injection of carbachol (250) 483
Ferrari, F. and Giuliani, D.
Influence of idazoxan on the dopamine D_2 receptor agonist-induced behavioural effects in rats (250) 51
Filipeanu, C.M., see Brailoiu, E. (250) 489
Filipeanu, C.M., see Brailoiu, E. (250) 493
Filippelli, A., see Maione, S. (250) 209
Flor, B., see Aldasoro, M. (250) 103
Fournier, B., see Chaouche-Teyara, K. (250) 67
Fozard, J.R., see Carruthers, A.M. (250) 185
Fukui, H., Yamamoto, M., Sasaki, S. and Sato, S.
Emetic effects of anticancer drugs and involvement of visceral afferent fibers and 5-HT_3 receptors in dogs (250) 281
Fukumura, D., see Kurose, I. (250) 85
Furuhama, K., see Tabuchi, Y. (250) 197
Furukawa, Y., see Nitta, A. (250) 23
Furukawa, Y., see Sawaki, S. (250) 253
Fuxe, K., see Pérez de la Mora, M. (250) 423

Gavish, M., see Weizman, R. (250) 289
Gibb, J.W., see Elkins, K.W. (250) 395
Gibb, J.W., see Gygi, S.P. (250) 177
Girard, V., see Advenier, C. (250) 169
Gispen, W.H., see Kappelle, A.C. (250) 43
Giuliani, D., see Ferrari, F. (250) 51
Gonzalez, P., see Del Rio, M. (250) 133
Gopalakrishnan, S.M., Chen, C. and Lokhandwala, M.F.
Identification of α_1-adrenoceptor subtypes in rat renal proximal tubules (250) 469
Griffin, T.B., see Komoriya, K. (250) 455
Gross, S.S., see Szabó, C. (250) 157
Gruber, C., see Klemm, P. (250) R9
Gygi, S.P., Gibb, J.W., Johnson, M. and Hanson, G.R.
Blockade of tachykinin NK_1 receptors by CP-96345 enhances dopamine release and the striatal dopamine effects of methamphetamine in rats (250) 177

Hagan, R.M., see Stratton, S.C. (250) R11
Hanson, G.R., see Elkins, K.W. (250) 395
Hanson, G.R., see Gygi, S.P. (250) 177
Hargreaves, R.J., see Tattersall, F.D. (250) R5
Harvey, F.J., see Stratton, S.C. (250) R11
Hasegawa, M., see Komoriya, K. (250) 455
Hasegawa, T., see Nitta, A. (250) 23
Haslam, R.J., see Jang, E.K. (250) 477
Hata, F., see Kanada, A. (250) 59
Hayashi, Jr., T., see Matsuda, Y. (250) 341
Hayashi, K., see Nitta, A. (250) 23
Haynes, J.M., Adams, G.D. and Pennefather, J.N.
α_2-Adrenoceptors in the guinea-pig uterus: heterogeneity in the circular and longitudinal smooth muscle layers (250) 231
Heaulme, M., see Emonds-Alt, X. (250) 403
Henning, R., see Klemm, P. (250) R9
Hernandez-Gómez, A.-M., see Pérez de la Mora, M. (250) 423
Hidaka, K., see Miyata, K. (250) 303
Hill, R.G., see Tattersall, F.D. (250) R5
Hirano, K. and Kanaide, H.
Cytosolic Ca^{2+} transients in endothelium-dependent relaxation of pig coronary artery, and effects of captopril (250) 439
Holzer, H., see Raybould, H.E. (250) 165
Holzer, P., see Peskar, B.M. (250) 201
Hori, M., see Takizawa, S. (250) 431
Horiuchi, H., see Komoriya, K. (250) 455
Hosokawa, M., see Kanada, A. (250) 59
Hosoki, K., see Yamamoto, T. (250) 189

Ikawa, K., Watanabe, A., Kaneno, S. and Toru, M.
Modulation of [^{3}H]mazindol binding sites in rat striatum by dopaminergic agents (250) 261
Inoue, Y., see Sawaki, S. (250) 253
Ip, S., see Qian, C. (250) R13
Iravani, M.M. and Zar, M.A.
Differential effects of nifedipine on nerve-mediated and noradrenaline-evoked contractions of rat anococcygeus muscle (250) 193
Iriarte, M.-C.F., Díaz-Juárez, J.L., Arilla, E., Pascual, R., Cortijo, J., Advenier, C., Prieto, J.C. and Morcillo, E.J.
Effects of sensitization on vasoactive intestinal polypeptide-induced relaxation and its concentration and binding in guinea-pig airways (250) 295
Ito, H., see Miyata, K. (250) 303

Jang, E.K., Davidson, M.M.L., Crankshaw, D. and Haslam, R.J.
Synergistic inhibitory effects of atriopeptin II and isoproterenol on contraction of rat aortic smooth muscle: roles of cGMP and cAMP (250) 477
Jastrzębski, Z., see Remiszewska, M. (250) 355
Jeng, A.Y., see Balwierczak, J.L. (250) 379
Johnson, M., see Elkins, K.W. (250) 395
Johnson, M., see Gygi, S.P. (250) 177

Kamato, T., see Miyata, K. (250) 303
Kanada, A., Hosokawa, M., Suthamnatpong, N., Maehara, T., Takeuchi, T. and Hata, F.
Neuronal pathway involved in nitric oxide-mediated descending relaxation in rat ileum (250) 59
Kanaide, H., see Hirano, K. (250) 439
Kaneno, S., see Ikawa, K. (250) 261
Kappelle, A.C., Biessels, G.J., Van Buren, T., Erkelens, D.W., De Wildt, D.J. and Gispen, W.H.
Effects of nimodipine on sciatic nerve blood flow and vasa nervorum responsiveness in the diabetic rat (250) 43
Karaki, H., see Takizawa, S. (250) 431
Karasawa, T., see Yamamoto, T. (250) 189

Kasai, K., see Takekoshi, K. (250) 465
Kawarabayashi, K., see Tabuchi, Y. (250) 197
Kleinrok, Z., see Pietrasiewicz, T. (250) 1
Klemm, P., Ostrowski, J., Morath, T., Gruber, C., Martorana, P.A. and Henning, R.
N-Acetylserotonin prevents the hypotension induced by bacterial lipopolysaccharides in the rat (250) R9
Klitgaard, H. and Laudrup, P.
Metabotropic excitatory amino acid receptor agonists selectively potentiate behavioral effects induced by ionotropic excitatory amino acid receptor agonists in mice (250) 9
Klitgaard, H., see Laudrup, P. (250) 15
Kohi, M., Yang, H.-T. and Endoh, M.
Myocardial α_{1A}-adrenoceptor subtypes in rabbit: differentiation by a selective antagonist, HV723 (250) 95
Kojda, G., Meyer, W. and Noack, E.
Influence of endothelium and nitrovasodilators on free thiols and disulfides in porcine coronary smooth muscle (250) 385
Komada, T., see Tabuchi, Y. (250) 197
Komoriya, K., Osada, Y., Hasegawa, M., Horiuchi, H., Kondo, S., Couch, R.C. and Griffin, T.B.
Hypouricemic effect of allopurinol and the novel xanthine oxidase inhibitor TEI-6720 in chimpanzees (250) 455
Kondo, S., see Komoriya, K. (250) 455
Koyama, S., see Matsuda, Y. (250) 341
Kühn-Velten, W.N.
Norharman (β-carboline) as a potent inhibitory ligand for steroidogenic cytochromes *P*450 (CYP11 and CYP17) (250) R1
Kupryszewski, G., see Patacchini, R. (250) 311
Kurose, I., Miura, S., Fukumura, D. and Tsuchiya, M.
Mechanisms of endothelin-induced macromolecular leakage in microvascular beds of rat mesentery (250) 85

Laakso, M.-L., see Lindroos, O.F.C. (250) 161
Laudrup, P. and Klitgaard, H.
Metabotropic and ionotropic excitatory amino acid receptor agonists induce different behavioral effects in mice (250) 15
Laudrup, P., see Klitgaard, H. (250) 9
Lefebvre, R.A., see Briejer, M.R. (250) 181
Le Fur, G., see Emonds-Alt, X. (250) 403
Leinonen, L.M., see Lindroos, O.F.C. (250) 161
Leyva, J., see Maione, S. (250) 209
Li, T., see Qian, C. (250) R13
Libertine-Garahan, L., see Qian, C. (250) R13
Lindroos, O.F.C., Veilahti, J., Leinonen, L.M. and Laakso, M.-L.
Characterization of melatonin binding to the anteroventral and anterodorsal thalamic nuclei of the rat (250) 161
Liu, J.-X., Tanonaka, K., Yamamoto, K. and Takeo, S.
Propafenone and disopyramide enhance post-ischemic contractile and metabolic recovery of perfused hearts (250) 361
Lluch, S., see Aldasoro, M. (250) 103
Lokhandwala, M.F., see Gopalakrishnan, S.M. (250) 469
Longmore, J., see Seabrook, G.R. (250) 125
Lorden, J.F., see Weissman, A.D. (250) 329

Maehara, T., see Kanada, A. (250) 59
Maggi, C.A., see Patacchini, R. (250) 311
Main, M.J., see Seabrook, G.R. (250) 125
Maione, S., D'Amico, M., Berrino, L., Filippelli, A., Leyva, J. and Rossi, F.
Involvement of periaqueductal gray area NMDA receptors in endothelin-induced behavioural effects (250) 209
Malcangio, M., Da Silva, H. and Bowery, N.G.
Plasticity of $GABA_B$ receptor in rat spinal cord detected by autoradiography (250) 153
Männistö, P.T., see Törnwall, M. (250) 77
Martin, D., Thompson, M.A. and Nadler, J.V.
The neuroprotective agent riluzole inhibits release of glutamate and aspartate from slices of hippocampal area CA1 (250) 473
Martínez, C., see Aldasoro, M. (250) 103
Martorana, P.A., see Klemm, P. (250) R9
Matsuda, Y., Shibamoto, T., Hayashi, Jr., T., Saeki, Y., Yamaguchi, Y., Tanaka, S. and Koyama, S.
Renal vascular and sympathetic nerve responses to hypotension induced by platelet-activating factor in anesthetized dogs (250) 341
McCann, D.J., see Weissman, A.D. (250) 329
McMorn, S.O., see Rana, B. (250) 247
Méndez-Franco, J., see Pérez de la Mora, M. (250) 423
Meulemans, A.L., see Briejer, M.R. (250) 181
Meyer, W., see Kojda, G. (250) 385
Miura, S., see Kurose, I. (250) 85
Miyata, K., Ito, H., Yamano, M., Hidaka, K., Kamato, T., Nishida, A. and Yuki, H.
Comparison of the effects of trimebutine and YM114 (KAE-393), a novel 5-HT_3 receptor antagonist, on stress-induced defecation (250) 303
Morath, T., see Klemm, P. (250) R9
Morcillo, E.J., see Iriarte, M.-C.F. (250) 295
Muramatsu, M., see Chaki, S. (250) 173
Murase, K., see Nitta, A. (250) 23
Murphy, D.L., see Andrews, A.M. (250) 215

Nabeshima, T., see Nitta, A. (250) 23
Nadler, J.V., see Martin, D. (250) 473
Nakamura, T., see Takekoshi, K. (250) 465
Naline, E., see Advenier, C. (250) 169
Neliat, G., see Emonds-Alt, X. (250) 403
Nevins, M.E., see Anthony, E.W. (250) 317
Nishida, A., see Miyata, K. (250) 303
Nitta, A., Murase, K., Furukawa, Y., Hayashi, K., Hasegawa, T. and Nabeshima, T.
Effects of oral administration of a stimulator for nerve growth factor synthesis in basal forebrain-lesioned rats (250) 23
Noack, E., see Kojda, G. (250) 385

Oguchi, T., see Sawaki, S. (250) 253
Oktay, Ş., see Özkutlu, U. (250) 349
Onat, F., see Özkutlu, U. (250) 349
Osada, Y., see Komoriya, K. (250) 455
O'Shaughnessy, C.T., see Barnes, J.C. (250) 147
Ostrowski, J., see Klemm, P. (250) R9
Otomo, S., see Chaki, S. (250) 173
Ozaki, H., see Takizawa, S. (250) 431
Özkutlu, U., Onat, F., Aslan, A.N. and Oktay, Ş.
Central muscarinic M_2 cholinoceptors involved in cholinergic hypertension (250) 349

Pang, C.C.Y., see Wang, Y.-X. (250) 335
Pascual, R., see Iriarte, M.-C.F. (250) 295
Pasternak, G.W., see Chien, C.C. (250) R7
Patacchini, R., Quartara, L., Rolka, K., Zboinska, J., Kupryszewski, G. and Maggi, C.A.
Effect of scyliorhinin I and synthetic scyliorhinin I derivatives at mammalian tachykinin NK_1, NK_2 and NK_3 receptors (250) 311
Peers, C., see Rana, B. (250) 247
Pennefather, J.N., see Haynes, J.M. (250) 231
Pérez de la Mora, M., Hernandez-Gómez, A.-M., Méndez-Franco, J. and Fuxe, K.
Cholecystokinin-8 increases K^+-evoked [^{3}H]γ-aminobutyric acid release in slices from various brain areas (250) 423
Pertwee, R.G., see Wickens, A.P. (250) 205

Peskar, B.M., Wong, H.C., Walsh, J.H. and Holzer, P.
A monoclonal antibody to calcitonin gene-related peptide abolishes capsaicin-induced gastroprotection (250) 201
Petrescu, B.C., see Brailoiu, E. (250) 489
Pietrasiewicz, T., Czechowska, G., Dziki, M., Turski, W.A., Kleinrok, Z. and Czuczwar, S.J.
Competitive NMDA receptor antagonists enhance the antielectroshock activity of various antiepileptics (250) 1
Poon, K.S., see Wang, Y.-X. (250) 335
Popescu, L.M., see Brailoiu, E. (250) 493
Porsius, A.J., see Vleeming, W. (250) 415
Prieto, J.C., see Iriarte, M.-C.F. (250) 295
Proietto, V., see Emonds-Alt, X. (250) 403

Qian, C., Li, T., Shen, T.Y., Libertine-Garahan, L., Eckman, J., Biftu, T. and Ip, S.
Epibatidine is a nicotinic analgesic (250) R13
Quartara, L., see Patacchini, R. (250) 311

Rana, B., McMorn, S.O., Reeve, H.L., Wyatt, C.N., Vaughan, P.F.T. and Peers, C.
Inhibition of neuronal nicotinic acetylcholine receptors by imipramine and desipramine (250) 247
Randall, D.J., see Wang, Y.-X. (250) 335
Raybould, H.E. and Holzer, H.
Secretin inhibits gastric emptying in rats via a capsaicin-sensitive vagal afferent pathway (250) 165
Razzaque, Z., see Seabrook, G.R. (250) 125
Reeve, H.L., see Rana, B. (250) 247
Remiszewska, M., Jastrzębski, Z., Czyżewska-Szafran, H. and Wutkiewicz, M.
Enhancement of GABAergic system activity by metoprolol in spontaneously hypertensive rats (250) 355
Riezebos, J., see Vleeming, W. (250) 415
Roach, A.G., see Trezise, D.J. (250) 109
Roffel, A.F., Elzinga, C.R.S. and Zaagsma, J.
Cholinergic contraction of the guinea pig lung strip is mediated by muscarinic M_2-like receptors (250) 267
Rolka, K., see Patacchini, R. (250) 311
Rossi, F., see Maione, S. (250) 209
Rycroft, W., see Tattersall, F.D. (250) R5

Saeki, Y., see Matsuda, Y. (250) 341
Safar, M., see Chaouche-Teyara, K. (250) 67
Santucci, V., see Emonds-Alt, X. (250) 403
Sasaki, S., see Fukui, H. (250) 281
Sato, S., see Fukui, H. (250) 281
Sawaki, S., Furukawa, Y., Inoue, Y., Oguchi, T. and Chiba, S.
Selective inhibition by E4080, a novel bradycardic agent, of positive chronotropic responses to norepinephrine in isolated dog hearts (250) 253
Schuurkes, J.A.J., see Briejer, M.R. (250) 181
Seabrook, G.R., Main, M.J., Razzaque, Z. and Longmore, J.
Differences in the effects of tachykinin NK_1 receptor antagonists: neuronal versus smooth muscle tissues (250) 125
Sekiguchi, Y., see Takekoshi, K. (250) 465
Serban, D.N., see Brailoiu, E. (250) 489
Serban, D.N., see Brailoiu, E. (250) 493
Shen, T.Y., see Qian, C. (250) R13
Shibamoto, T., see Matsuda, Y. (250) 341
Shimoda, S.-I., see Takekoshi, K. (250) 465
Slatineanu, S., see Brailoiu, E. (250) 489
Slatineanu, S., see Brailoiu, E. (250) 493
Solomon, T.E., see Varga, G. (250) 37
Soubrié, P., see Emonds-Alt, X. (250) 403
Starr, B.S., see Starr, M.S. (250) 239

Starr, M.S. and Starr, B.S.
Facilitation of dopamine D_1 receptor- but not dopamine D_1/D_2 receptor-dependent locomotion by glutamate antagonists in the reserpine-treated mouse (250) 239
Steinberg, R., see Emonds-Alt, X. (250) 403
Stratton, S.C., Beresford, I.J.M., Harvey, F.J., Turpin, M.P., Hagan, R.M. and Tyers, M.B.
Anxiolytic activity of tachykinin NK_2 receptor antagonists in the mouse light-dark box (250) R11
Su, T.-P., see Weissman, A.D. (250) 329
Suthamnatpong, N., see Kanada, A. (250) 59
Suzuki, N., see Yoshida, S. (250) 117
Suzuki, Y., see Takekoshi, K. (250) 465
Szabó, C., Wu, C.-C., Gross, S.S., Thiemermann, C. and Vane, J.R.
Interleukin-1 contributes to the induction of nitric oxide synthase by endotoxin in vivo (250) 157

Tabuchi, Y., Kawarabayashi, K., Komada, T. and Furuhama, K.
Protective effect of DS-4574 on gastric mucosal injury induced by acidified ethanol in rats (250) 197
Takekoshi, K., Kasai, K., Suzuki, Y., Sekiguchi, Y., Banba, N., Nakamura, T. and Shimoda, S.-I.
Effect of N^G-nitro-L-arginine on shock induced by endotoxin and by platelet activating factor in dogs (250) 465
Takeo, S., see Liu, J.-X. (250) 361
Takeuchi, T., see Kanada, A. (250) 59
Takizawa, S., Hori, M., Ozaki, H. and Karaki, H.
Effects of isoquinoline derivatives, HA1077 and H-7, on cytosolic Ca^{2+} level and contraction in vascular smooth muscle (250) 431
Tanaka, M., see Chaki, S. (250) 173
Tanaka, S., see Matsuda, Y. (250) 341
Tanonaka, K., see Liu, J.-X. (250) 361
Tattersall, F.D., Rycroft, W., Hargreaves, R.J. and Hill, R.G.
The tachykinin NK_1 receptor antagonist CP-99,994 attenuates cisplatin induced emesis in the ferret (250) R5
Tejerina, T., see Del Rio, M. (250) 133
Thiemermann, C., see Szabó, C. (250) 157
Thompson, M.A., see Martin, D. (250) 473
Törnwall, M. and Männistö, P.T.
Effects of three types of catechol *O*-methylation inhibitors on L-3,4-dihydroxyphenylalanine-induced circling behaviour in rats (250) 77
Toru, M., see Ikawa, K. (250) 261
Trezise, D.J., Drew, G.M., Roach, A.G., Watts, I.S. and Weston, A.H.
Cromakalim does not protect against skeletal muscle fatigue in an anaesthetized rat model of acute hindlimb ischaemia (250) 109
Tsuchiya, M., see Kurose, I. (250) 85
Turpin, M.P., see Stratton, S.C. (250) R11
Turski, W.A., see Pietrasiewicz, T. (250) 1
Tyers, M.B., see Stratton, S.C. (250) R11

Van Amsterdam, J.G.C., see Vleeming, W. (250) 415
Van Broeck, D., see Emonds-Alt, X. (250) 403
Van Buren, T., see Kappelle, A.C. (250) 43
Vane, J.R., see Szabó, C. (250) 157
Vane, J.R., see Warner, T.D. (250) 447
Varga, G., Campbell, D.R., Bussjaeger, L.J. and Solomon, T.E.
Role of gastrin and cholecystokinin receptors in regulation of peptone-stimulated gastric acid secretion in conscious rats (250) 37
Vaughan, P.F.T., see Rana, B. (250) 247
Veilahti, J., see Lindroos, O.F.C. (250) 161
Vila, J.M., see Aldasoro, M. (250) 103
Vilain, P., see Advenier, C. (250) 169
Vilain, P., see Emonds-Alt, X. (250) 403

Vleeming, W., Wemer, J., Riezebos, J., Van Amsterdam, J.G.C., De Wildt, D.J. and Porsius, A.J.
Modulation by pertussis toxin of salbutamol- and arecoline-induced effects in the isolated heart and aorta of the rat (250) 415

Wallis, D.I., Wu, J. and Wang, X.C.
Is 5-hydroxytryptamine mediating descending inhibition in the neonatal rat spinal cord through different receptor subtypes? (250) 371
Walsh, J.H., see Peskar, B.M. (250) 201
Wang, X.C., see Wallis, D.I. (250) 371
Wang, Y.-X., Poon, K.S., Randall, D.J. and Pang, C.C.Y.
Endothelium-derived nitric oxide partially mediates salbutamol-induced vasodilatations (250) 335
Warner, T.D., Battistini, B., Allcock, G.H. and Vane, J.R.
Endothelin ET_A and ET_B receptors mediate vasoconstriction and prostanoid release in the isolated kidney of the rat (250) 447
Watanabe, A., see Ikawa, K. (250) 261
Watts, I.S., see Trezise, D.J. (250) 109
Weissman, A.D., McCann, D.J., Lorden, J.F. and Su, T.-P.
An absence of changes in σ receptor subtypes in the brains of genetically dystonic (*dt*) rats (250) 329
Weizman, R., Burgin, R. and Gavish, M.
Modulatory effect of antidepressants on peripheral-type benzodiazepine receptors (250) 289
Wemer, J., see Vleeming, W. (250) 415
Weston, A.H., see Trezise, D.J. (250) 109
Wickens, A.P. and Pertwee, R.G.
Δ^9-Tetrahydrocannabinol and anandamide enhance the ability of muscimol to induce catalepsy in the globus pallidus of rats (250) 205
Wilkins, D.G., see Elkins, K.W. (250) 395
Willim, K.D., see Doods, H.N. (250) 223
Wong, H.C., see Peskar, B.M. (250) 201
Wong, M., see Balwierczak, J.L. (250) 379
Wu, C.-C., see Szabó, C. (250) 157
Wu, J., see Wallis, D.I. (250) 371
Wutkiewicz, M., see Remiszewska, M. (250) 355
Wyatt, C.N., see Rana, B. (250) 247

Yamaguchi, Y., see Matsuda, Y. (250) 341
Yamamoto, K., see Liu, J.-X. (250) 361
Yamamoto, M., see Fukui, H. (250) 281
Yamamoto, T., Hosoki, K. and Karasawa, T.
Possible involvement of endothelin in thromboxane A_2 receptor agonist (U-46619)-induced angina in the rat (250) 189
Yamano, M., see Miyata, K. (250) 303
Yang, H.-T., see Kohi, M. (250) 95
Yoshida, S. and Suzuki, N.
Antiamnesic and cholinomimetic side-effects of the cholinesterase inhibitors, physostigmine, tacrine and NIK-247 in rats (250) 117
Yuki, H., see Miyata, K. (250) 303

Zaagsma, J., see Roffel, A.F. (250) 267
Zar, M.A., see Iravani, M.M. (250) 193
Zboinska, J., see Patacchini, R. (250) 311